

HID Boat Light - 35 Watt High Intensity Discharge - Flood Pattern - 125' X 125'

Part #: HID-44-BL-F



35 Watt HID work light - Flood Pattern with a 125'L X 125'W beam. This particular unit utilizes 3200 lumen to create a 125' X 125' flood light, ideal for applications such as deck lighting and work area illumination. These units draws less than 3.5 amps. The housing is completely weather and dust proof making it safe for most applications from off-roading to commercial fishing and everything in between.

Bulb Specs:

Precision metal reflectors

35 watt HID Xenon D2 type Lamp

35 watt internal HID ballast - instant on, 15 seconds to full visible power

On 12 Volts DC - 4.8 amps start load on 12 Volts DC - 3.3 amps average draw after 60 second startup.

On 24 volts DC - 2.4 amps start load on 24 volts DC - 1.7 amps average draw after 60 second startup.

Lumen Output - 3200 lumens +/- 400 lumens

HID color temperature 7000K (bright white)

Housing:

Borosilicate hardened glass lens

Weatherproof polycarbonate housing

Dust and water resistance (gaskets and seals)

IP Rating: IP67

Vibration tolerance: 8.6G RMS

Saltwater and UV Resistant

Dimensions:

Lens - 4.5 inches wide by 4.25 inches tall - 6 inches tall with mounting bracket - 5.5 inches deep, weighs 1.4 pounds

Weight: 1.4 pounds

Operating temperature: -40 degrees C to 105 degrees C

Voltage: 9-32V DC

CE Certified

EN55015 EMI

EN61547 EMS

EN62471 Photobiological Safety

Part #: HID-44-BL-F (1344)



